HYDRAMASTER

11015 47TH AVE. W MUKILTEO, WA. 98275 (360) 710-0400 DATE PREPARED: MAR 1, 2006 REVISION NUMBER: MAR 1, 2008

24 HOUR EMERGENCY PHONE NUMBER CHEMTREC:800-424-9300

SECTION I – IDENTIFICATION

PRODUCT NAME:..... HYDRA-DRI PW

CHEMICAL FAMILY: MODERATELY ALKALINE MATERIAL

FORMULA: N/A CAS NUMBER: N/A

SECTION II – HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW:

impairment of vision.

SKIN (DERMAL):......Skin contact may cause irritation while prolonged exposure may cause chemical

burns.

SWALLOWING (INGESTION): May cause severe gastrointestinal irritation and/or ulceration of the mouth and

throat. Single dose oral LD50 has not been determined.

INHALATION:......Vapors and mist may cause respiratory tract irritation.

MEDICAL CONDITION AGGRAVATED

BY EXPOSURE: Existing skin and/or respiratory disorders may be aggravated by exposure.

CHRONIC OVEREXPOSURE:. None known

OSHA REGULATORY STATUS: Since this product is a mixture, there is no definded PEL's (Personal Exposure

Limits) established by OSHA. ACGIH TLV's (Threshold Limit Values) for hazardous components are listed in the Hazardous Ingredients Section of this

MSDS.

SECTION III - COMPOSITION INFORMATION ON INGREDIENTS

THRESHOLD LIMIT VALUE: . The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

HAZARDOUS INGREDIENT	PERCENT	CAS NO.	ACGIH/TWA	STEL/TLV
Sodium carbonate	20-40	497-19-8	NOT EST.	NOT EST.
Sodium metasilicate	10-20	6834-92-0	NOT EST.	NOT EST.
Dipropylene glycol methyl ether	1-5	34590-94-8	100 PPM	150 PPM
EDTA tetrasodium salt	1-5	64-02-8	NOT EST.	NOT EST.

See section VIII for additional TLV information. Also contains biodegradable surfactant(s).

SECTION IV - FIRST AID DATA

EYES: In case of contact, immediately flush eyes with lots of running water for at least 15 minutes. Call for medical assistance.

SKIN (DERMAL):..... Immediately flush skin with lots of cool running water for at least 15 minutes

while removing contaminated clothing and/or shoes. Wash contaminated

clothing and/or shoes befoe reuse.

SWALLOWING (INGESTION): NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. (If available, give several glasses of milk) If vomiting occurs spontaneously, keep airway clean and give more water. GET MEDICAL ATTENTION

IMMEDIATELY.

INHALATION:Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen as directed by physician or medical personnel.

SECTION V - FIRE FIGHTING MEASURES

FLASHPOINT:...... Non flammable, non combustible

LOWER EXPLOSIVE LIMIT: ... N/A UPPER EXPLOSIVE LIMIT: N/A

EXTINGUISHING MEDIA:...... Use extinguishing media appropriate to primary cause of fire.

SECTION XVI – OTHER INFORMATION

SPECIAL FIRE FIGHTING

skin. when fighting a fire near or involving this product, wear a self-contained

breathing apparatus. (SCBA)

UNUSUAL FIRE AND

EXPLOSION HAZARDS:..... None known

SECTION VI – ACCIDENTAL RELEASE MEASURES

SPILL/ LEAK PROCEDURES: . Appropriate protective clothing must be worn by trained cleanup personnel.

Dike the area to contain spill. Dilute with large quantities of water and neutralize with dilute acids such as acetic or phosphoric acid. Properly neutralized liquid (pH 6-9) may be disposed of in waste water treatment

facilities. Check with local authorities first.

SECTION VII - HANDLING AND STORAGE

HANDLING INFORMATION:.. Store away from acids, oxidizing compounds and other incompatible materials.

Keep container tightly closed when not in use. KEEP OUT OF REACH OF

CHILDREN.

STORAGE REQUIREMENTS: . Keep containers tightly closed when not in use. Empty container completely and

dispose of in accordance with applicable regulations.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE PROTECTION:......Chemical safety goggles and full face shield (8null min.) to protect against

splashing in compliance with OSHA regulations are advised. OSHA regulations also permit other type safety glasses. (Consult your industrial hygienist) Contact

lenses should not be worn when working with any chemicals.

RESPIRATORY PROTECTION: Respiratory protection should be worn if levels exceed defined PEL's for this

product or any hazardous component listed in the Hazardous Ingredient Section

of this MSDS.

OTHER PROTECTIVE

EQUIPMENT: Impervious protective clothing and chemical resistant safety shoes should be

worn to minimize contact. Emergency shower and eyewash facility should be in

close proximity. (ANSIZ358.1)

VENTILATION: Local exhaust sufficient to maintain TLV below permissible exposure limits.

ADDITIONAL MEASURES: Dipropylene Glycol Methyl Ether: OSHA/PEL = 600 mg/M³ (100 ppm) Skin.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

pH: 11.5 - 12.0 (1% solution)

SOLUBILITY IN WATER: Soluble in water.

VOLATILITY INCLUDING

WATER:.....NOT EST.

SECTION X – STABILITY AND REACTIVITY DATA

STABILITY: Stable

HAZARDOUS

POLYMERIZATION: Will not occur

INCOMPATIBILITY: Strong oxidizing agent, strong acids.

HAZARDOUS

SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL

irritation potential. However, on the basis of its alkalinity, it is regarded as corrosive to the eyes. OECD Guidelines Section 404 testing resulted in dermal corrosion. Acute Oral Toxicity LD50 (rat): 1500 - 3200 mg/kg. MUTAGENICITY: This product was not found to be mutagenetic to the bacterium E. Coli when tested in a mutageneticity bioassay. There are no known reports of carcinogenicity of sodium silicates. DIPROPYLENE GLYCOL METHYL ETHER: Acute Toxicity: Ingestion LD50, Rat 5135 mg/kg. Skin Absorption LD50, Rabbit> 20 ml/kg; Sensitization Skin: Did not cause allergic skin reactions when tested in humans. Related Dose Toxicity: In animals, effects have been reported on the following organs: Liver, Kidney. Symptoms of excessive exposure may be anesthetic or narcotic effects: dizziness and drowsiness may be observed. Developmental Toxicology: Did not cause birth defects or any other fatal effects in laboratory animals. Genetic Toxicology: In Vitro genetic toxicity studies were negative. Ethylenediamine Tetraacetate (EDTA): The 96 hour LC50 = 1030 mg/L for Bluegill. The 96 hour No Adverse Effect Level (NOAEL) is 456 mg/L for Bluegill. C.O.D.: approx. 260

SECTION XII – ECOLOGICAL INFORMATION

mg/s. This product is not readily biodegradable.

ECOLOGICAL

SECTION XIII - DISPOSAL CONSIDERATIONS

SECTION XIV - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: N/A

HAZARD CLASS AND LABEL: NON HAZARDOUS

UN NUMBER: N/A PACKAGING GROUP: N/A

SECTION XV – REGULATORY INFORMATION

LISTED CARCINOGEN:	None known
TSCA STATUS:	All components in this product are listed on the TSCA inventory.
SARA SECTION 313:	This product does not contain any EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning Community Right-To-Know Act of 1986 (40CFR 372):
NFPA HEALTH:	2
NFPA FLAMMABILITY:	0
NFPA REACTIVITY:	0

SECTION XVI – OTHER INFORMATION

REFERENCES: The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.